

536,815

Re PCT/PTO 27 MAY 2005

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau(43) International Publication Date
17 June 2004 (17.06.2004)

PCT

(10) International Publication Number
WO 2004/049841 A2

- (51) International Patent Classification⁷: A41D 13/00
- (21) International Application Number:
PCT/IB2003/006395
- (22) International Filing Date:
27 November 2003 (27.11.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
0227838.0 29 November 2002 (29.11.2002) GB
- (71) Applicant (*for all designated States except US*):
QUALITEAM S.A.S. [IT/IT]; Casale Nasso Sopra
15, I-10010 Chiaverano (IT).
- (72) Inventor; and
- (75) Inventor/Applicant (*for US only*): HJORTH HANSEN,
Doris [DK/TT]; Casale Nasso Sopra 15, I-10010 Chiaverano (IT).
- (74) Agent: BARKER, Brettell; 12-10 Priest's Bridge, London
SW15 5JE (GB).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: POST-OPERATIVE VEST

(57) Abstract: The invention relates to a variable tension chest support for use by patients having undergone thoracic surgery. The chest support may be worn directly on the skin of a patient and comprises a band of stretchable material and one or more grips which are wholly or partially concealed within pockets with which the patient may alter the tension of the chest encircling band. The device allows a patient to modify the level of tension applied to the chest, thus managing their recovery process, while providing a basic level of support at all times the support is in use.

WO 2004/049841 A2

POST-OPERATIVE VEST

The present invention relates to providing chest support to patients having undergone invasive thoracic surgery. In particular, the present invention
5 relates to a surgical chest support for patients having undergone surgery requiring opening of the chest cavity.

Background of the Invention

10 Following thoracic surgery, for example open heart surgery, a patient normally suffers considerable pain caused by any movement of the chest, in particular when the patient breaths or coughs. Following the severe trauma of thoracic surgery, the ribs, sternum, and the muscles must be adequately supported in order to allow the region to heal. It is important,
15 however, that the mobility of the chest is maintained and deep breathing and coughing are extremely important for the patient in order to both avoid lung infections and to aid in the healing process.

A number of devices have been employed to provide support for thoracic
20 surgery patients. For example, rigid splints have been applied to the chest area, as have elasticated bandages. These devices have drawbacks such as the device does not allow the patient to breath freely or do not provide sufficient support. Furthermore, some prior art devices provide a fixed tension around the circumference of the chest. There are no
25 provisions for varying the degree of tension in the supports. This is particularly important when the patient needs to cough or to perform a relatively strenuous movement. Patients are often inhibited from doing so as the severe trauma to the chest gives a feeling of weakness in the chest, and consequently contributes to the insecurity of the patient.

It would be desirable to provide a patient with a breathing support, the tension of which may be varied depending upon the requirements of the patient.

5 Summary of the Invention

The present invention provides a post-operative chest support comprising a chest encircling band having at least a portion of stretchable material, characterised in that the band further comprises means for manually
10 varying the tension of the band around the chest which are wholly or partially concealed within pockets.

The present invention overcomes the problems associated with the prior art as it provides a basic level of tension around the chest, providing
15 constant support for a user. When further support is required, for example during coughing, deep breathing, or relatively strenuous movement by the patient, the patient may operate tension adjusting means in order to provide more support as required. Alternatively, where the wearer requires greater freedom of movement, the tension adjusting
20 means may be operated by the user to reduce the tension applied to the chest. This approach is particularly advantageous as it allows patients to control the amount of tension applied to the chest and aids in managing their own recovery. It is important that breathing and coughing exercises are undertaken by a patient. Thus, it is particularly important that a
25 patient has the ability to feel comfortable when carrying out such exercises.

It should be emphasised that the tension varying means referred to in the statement of invention are ones which may be adjusted easily when the
30 support is being worn by the patient. The tension varying means are not intended to relate to any variation in the tension effected when initially

closing the chest support, for example, adjusting the overlap of free ends of the chest support when fitting the device to a patient.

5 Preferably, the chest encircling band either comprises at least a portion of stretchable material, or more preferably, the band is substantially stretchable throughout its circumference. It is advantageous to provide a uniform encircling pressure of the chest. Preferably, this is provided by a chest encircling band having a substantially constant width. Preferably, the width is in the range of 5-40 cm. Preferably, the width of the band is
10 sufficient to cover the length of the incision to the chest.

In use, the chest support applies a substantially constant (basic) tension to the patient's chest. This is modified depending on the force applied to the manual tension varying means.

15

In one preferred embodiment, the band forms part of a vest garment. This may be worn like a conventional vest by a user. The band may be permanently or removably attached to the vest, or formed integrally therewith.

20

Preferably, the chest encircling band is constructed, at least in part, from a flexible material, more preferably a stretchable fabric. Preferably the material can stretch up to 200% of its untensioned length, more preferably up to 100%, more preferably up to 50%, most preferably less
25 than 20%, in particular 10% of its untensioned length. In a particularly preferred embodiment, "Millerighe" bandage material is used.

Since the chest support is preferably constructed from a flexible material and preferably lacks a mechanical moving part such as a pulley or other
30 such drawstring elements for mechanically adjusting its tension or any other such skin irritating feature (e.g. a button, clip or a zip), the chest

support is preferably non-irritating to the skin of a patient such that it can be worn directly on or next to the skin. The chest support is preferably sterile such that it can be applied to a patient in the operating room, preferably when the patient is awake.

5

Compared to the basic level of support applied to the chest of the patient, arbitrarily set at a pressure value of 1, the additional support which may be provided by actuating the manual tension varying means is preferably in the range of 1.01-5, more preferably 1.10- 2.5, most preferably 1.25-
10 1.75.

Millerighe comprises a mixture of polyester, polyamide, rubber and cotton and is preferably hypoallergenic. In a particularly preferred embodiment, the Millerighe has a compositional make up of about 51%
15 polyester, 24% polyamide, 15% rubber, 10% cotton.

The chest encircling band may be continuous or may have attachment means at either end of the band. Preferably, the band comprises two ends having engagement means for securing the band around a patient's chest.
20 The securing means may be in the form of complementary Velcro material attached to the ends of the band, clasps, buckles, buttons, and the like. Preferably the tension of the band is adjustable by the user or care helper by adjusting the basic tension applied to the band when first secured to the body of the user. This is most conveniently effected by having
25 adjustable attachment means at the ends of the band. For example, Velcro is particularly advantageous as the initial tension can be altered depending on the degree of overlap of the ends of the band.

The chest encircling band, or material associated therewith, for example a
30 vest garment, may be provided with anatomically compliant portions. For

example, part of the band or associated material may have portions capable of supporting the patient's breasts.

5 Where the chest encircling band comprises a band having free ends which are wrapped around the body and secured to one another, the attachment may take place at any point around the patient's chest. Preferably, the attachment is either centrally behind the patient's body or to the side, for example, under the armpit.

10 Advantageously, the post-operative chest support of the present invention is provided with additional bands which may be slung over the shoulders of the user to provide support for the chest encircling band and to secure this in place around the user's body. These shoulder bands shall herein
15 after be referred to as braces. These are preferably attached to the front and to the rear of the chest encircling band during wear. The braces may be permanently or removably attached to the chest encircling band or material associated therewith. The braces may be attached by Velcro or securing clips, buttons, clasps, and the like.

20 The manual tension varying means should be operable using the patient's hands or arms when the support is worn by the patient, i.e. in use. The manual tension varying means are preferably located towards the front of the chest encircling band when worn by the patient. The manual tension
25 varying means should be permanently or removably attached to the chest encircling band. Preferably, the manual tension varying means comprise handles or grips which may be conveniently gripped and operated by a patient. Preferably, when the manual tension varying means cease to be operated by the patient, the band returns to its base tension, i.e. the tension applied to the chest when the band is secured to the patient.

In a particularly preferred embodiment, the chest encircling band has two handles mounted thereon. The patient can grip these handles and by pushing the handles together, the tension of the chest encircling band may be increased. Similarly, pulling the handles apart decreases the tension
5 across the chest. The handles are located towards the front of the chest when the support is worn, and are preferably located in the range of 10-40 cm apart, more preferably 20-30 cm apart from one another.

The handles may be made from any suitable material, preferably a
10 polymeric material. Particularly preferred materials are selected from polyetheretherketone, polysulphone, polyphenylenesulphone or polyethersulphone or similar material.

The manual tension varying means are preferably partially or fully
15 enclosed. This may be effected by any suitable material. This allows the manual tension varying means to be partially or fully concealed discretely. For example, the support garment may comprise "pockets", resembling those found in many common garments. The handles may be concealed within these pockets such that they are not on general view.
20 Alternatively, flaps or folds in the material may be used to conceal the manual tension varying means.

It is important that the vest is fixed on the chest in a comfortable manner, with minimal inhibition of breathing. The patient (or carer) should
25 arrange the vest around the chest and close it in the exhaling phase, without stretching, but merely closing the vest, for example, folding the complementary velcro tabs over each other to fixate the support. This means that when the patient inhales (the thoracic cavity moves up and outwards), the support device gives the patient extra support and feeling
30 of support needed to feel comfortable in the postoperative period. When coughing or breathing deeply the patient grips the two handles, which are

fixed at the front with one or both hands. This means that the patient is in control of the degree of tension applied to the chest assuring the tension to be within the comfortable range for the patient.

- 5 Generally minimal pressure is applied to the patient's chest after open heart or thoracic surgery, which is why it is important the stress to remain within the comfort zone for the patient by only "folding" the vest around the chest in the exhaling phase. The purpose is to make the patient feel more comfortable and thereby lessen the pain.

10

The invention will now be described with reference to the drawings.

Brief Description of the Drawings

- 15 Figure 1 shows a perspective view of the post-operative chest support of the present invention.

Figure 2 shows the post-operative chest support of the present invention prior to its closure around the chest of a patient.

20

Figure 3 shows the post-operative chest support of the present invention when worn by a patient.

Detailed description of the invention

25

- Figure 1 shows a perspective view of the post-operative chest support of the present invention. The support comprises a chest encircling band 1 constructed of "Millerighe" bandage material. The band is shown in a closed position, as it would be worn around the chest of a user. Braces 2
30 are fixed to the rear of the band and are securely stitched in place. The braces are removably attached towards the front of the band (from the

wearer's point of view) by Velcro strips 3. The external surface of the band, i.e. the surface not in contact with the chest of the user, has pockets 4 which are attached to the band 1 and have an opening 5 for the user's hand to enter and grip the handle 6. The handle 6, shown by hash lines, is concealed from general view within the pocket 4.

Figure 2 shows the post-operative support in an open configuration, i.e. not worn by a patient. The band 1 has two free ends 7 and 8 bearing complimentary Velcro strips 9 and 10 for securing the band around the chest of the user. The overlap of the free ends may be adjusted to change the base tension of the band around a patient. The braces are shown in an open configuration. In use, once the band has been secured around the chest of the patient, the braces are brought over the shoulder and the free ends of the braces are brought into engagement with strips of Velcro complimentary to those borne on the free ends of the braces.

Figure 3 shows the post-operative chest support of the present invention in use with a patient. The band is secured around the chest and the braces secured over the shoulders, thus retaining the vest in an optimum position around the patient's chest. The patient can raise his hands to the handles 6 within the pockets 4 through the pocket openings 5, and by pushing his hands towards one another can tighten the band around the chest, thus increasing the tension applied to the chest.

CLAIMS

1. A post-operative chest support comprising a chest encircling band having at least a portion of stretchable material, characterised in that the
5 band further comprises means for manually varying the tension of the band which are wholly or partially concealed within pockets.
2. The support according to claim 1, wherein the band has shoulder straps mounted thereon.
- 10 3. A support according to claim 1 or claim 2, wherein the band is secured around the chest of a patient with Velcro tabs.
4. A support according to any one of the preceding claims, wherein
15 the means for manually varying the tension comprise handles or grips.
5. A support according to any one of the preceding claims which is constructed from a flexible material.
- 20 6. A support according to any one of the preceding claims which lacks a mechanical moving part such as a pulley or other such drawstring elements for mechanically adjusting its tension or any other such skin irritating feature.
- 25 7. A support according to any one of the preceding claims which is non-irritating to the skin of a patient such that it can be worn next to the skin.
8. A support according to any one of the preceding claims which is
30 sterile.

9. A method of altering the tension applied to a patient's chest following surgery, comprising wearing a post-operative chest support according to any one of the preceding claims and increasing or decreasing the tension of the band by applying pressure to the means for manually
5 varying the tension of the band.




Fig. 1




Fig. 2




Fig. 3

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
17 June 2004 (17.06.2004)


PCT

(10) International Publication Number
WO 2004/049841 A3

- (51) International Patent Classification⁷: **A61F 5/03** (74) Agent: **BARKER, Brettell**; 12-10 Priest's Bridge, London SW15 5JE (GB).
- (21) International Application Number: PCT/IB2003/006395 (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (22) International Filing Date: 27 November 2003 (27.11.2003) (84) Designated States (*regional*): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 0227838.0 29 November 2002 (29.11.2002) GB
- (71) Applicant (*for all designated States except US*): **QUALITEAM S.A.S.** [IT/TT]; Casale Nasso Sopra 15, I-10010 Chiaverano (IT).
- (72) Inventor; and
- (75) Inventor/Applicant (*for US only*): **HJORTH HANSEN, Doris** [DK/TT]; Casale Nasso Sopra 15, I-10010 Chiaverano (IT).
- Published:
— with international search report

[Continued on next page]

(54) Title: POST-OPERATIVE VEST



(57) Abstract: The invention relates to a variable tension chest support for use by patients having undergone thoracic surgery. The chest support may be worn directly on the skin of a patient and comprises a band of stretchable material (1) and one or more grips (6) which are wholly or partially concealed within pockets (4) with which the patient may alter the tension of the chest encircling band. The device allows a patient to modify the level of tension applied to the chest, thus managing their recovery process, while providing a basic level of support at all times the support is in use.

WO 2004/049841 A3



— *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(88) Date of publication of the international search report:
29 July 2004

INTERNATIONAL SEARCH REPORT

PCT/IB 03/06395

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61F5/03

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A41D A61F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 260 351 A (WILLIAMS GLENN A JR) 23 March 1988 (1988-03-23) column 3, last paragraph - column 5, line 42; claims 1-3; figures 1-13	1-6,9
A	US 4 022 197 A (CASTIGLIA IGNATIUS F) 10 May 1977 (1977-05-10) claims 1-3; figures 1-4	1,3,5
A	EP 0 368 583 A (SETON HEALTHCARE GROUP PLC) 16 May 1990 (1990-05-16) column 2, line 27 - column 4, paragraph 1; claims 1,2,6; figures 1-3	1,3-6,9
A	GB 1 054 741 A (HAWKSLEY & SONS LIMITED) 11 January 1967 (1967-01-11) the whole document	1,3-6,9
	----- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

Z document member of the same patent family

Date of the actual completion of the international search

2 June 2004

Date of mailing of the international search report

14/06/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Garnier, F

INTERNATIONAL SEARCH REPORT

PCT/IB 03/06395

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 3 400 710 A (EUGENE GOLDSTEIN) 10 September 1968 (1968-09-10) column 2, line 23 - column 3, paragraph 1; claim 1; figures 1-7	1,3,5
A	----- US 2 800 902 A (WILTROUT CREED A) 30 July 1957 (1957-07-30) column 2, line 21 - column 4, line 35; figures 1-5 -----	1,2

INTERNATIONAL SEARCH REPORT

PCT/IB 03/06395

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0260351	A	23-03-1988	JP 2039481 C	28-03-1996
			JP 7075614 B	16-08-1995
			JP 63082658 A	13-04-1988
			US 4641642 A	10-02-1987
			EP 0260351 A1	23-03-1988
			AT 97312 T	15-12-1993
			DE 3689310 D1	23-12-1993
			DE 3689310 T2	10-03-1994
			HK 1005702 A1	22-01-1999
US 4022197	A	10-05-1977	NONE	
EP 0368583	A	16-05-1990	AU 4437289 A	10-05-1990
			EP 0368583 A1	16-05-1990
			GB 2225926 A	20-06-1990
GB 1054741	A		NONE	
US 3400710	A	10-09-1968	NONE	
US 2800902	A	30-07-1957	NONE	